



**New Rigid
interlocking offer**


**Creation 55
Rigid Acoustic**
The Reference in LVT

mah
GLOBAL LIMITED



Creation 55 Rigid Acoustic

Formats (mm)  178×1219  228×1500  457×914




PROTECSHIELD™

ENHANCED PERFORMANCES


Micro scratch resistance


Easy maintenance

ULTRA MATT SURFACE


Natural look

4D DESIGN

CRYSTAL WEAR LAYER


Authentic Look

HIGH DEFINITION PRINTED FILM


Ultra realism

STRUCTURED EMBOSS


Ultra realistic surface

BEVELLED EDGES


Tiles & Planks effect

RIGID CORE TECHNOLOGY


Renovation over ceramic tiles 8mm/3mm


Resistance against high temperature variation

INTEGRATED ACOUSTIC UNDERLAY


Sound insulation 19dB


Absorbs default of the subfloor (up to 1mm unevenness)

INTERLOCKING SYSTEM


Standard laminate installation

PACKAGING

Format (mm)	m ² /box	box/pallet	m ² /pallet
Creation 55 Rigid Acoustic			
178 × 1219	1.51	64	97.11
228 × 1500	2.05	48	98.50
457 × 914	2.50	38	95.32

More details on [gerflor.ae](https://www.gerflor.ae)
Non contractual imagery
The embossing of the samples can differ from the final product.

Protecshield™



Exclusive designs
Emboss in register (EIR)



Lock system



Complete solution
Underlayers, matting, matching skirtings and coverstrips



100% REACH
PHTHALATE FREE



UP TO 35% RECYCLED CONTENT



TVOC EMISSIONS BELOW
DETECTION LEVEL
(TVOC < 10µg/m³ after 28 days)
NO FORMALDEHYDE

Refer to Gerflor installation guidelines on [gerflor.ae](https://www.gerflor.ae)



Charming Oak Grey



CHARMING OAK GREY



LOUNGE OAK CHESTNUT



LOUNGE OAK GOLDEN



CHARMING OAK BROWN



Creation 55 Rigid Acoustic EIR



CHARMING OAK BROWN 1280

178 x 1219



LOUNGE OAK CHESTNUT 1274

228 x 1500



LOUNGE OAK GOLDEN 1271

228 x 1500




CHARMING OAK GREY 1279

178 x 1219



Creation 55 Rigid Acoustic



MICHIGAN 0461 178 x 1219



RUSTIC OAK 0445 178 x 1219



BAITA BLOND 1023 228 x 1500



SWISS OAK GOLDEN 0796 178 x 1219 / 228 x 1500

DESIGN SHADE VARIATION



Light



Medium



High





LONG BOARD



CEDAR BROWN



CEDAR BROWN 0850

228 x 1500



BOSTONIAN OAK 0871

178 x 1219



BOSTONIAN OAK HONEY



BOSTONIAN OAK



LONG BOARD 0455

178 x 1219 / 228 x 1500



BOSTONIAN OAK HONEY 0851

178 x 1219



Creation 55 Rigid Acoustic




BUFFALO 0457 178 x 1219



AMARANTE 0579 178 x 1219



TWIST 0504 178 x 1219



SWISS OAK BEIGE 0848 178 x 1219 / 228 x 1500

DESIGN SHADE VARIATION

Light	Medium	High
-------	--------	------



BUFFALO



AMARANTE



TWIST



SWISS OAK BEIGE



SWISS OAK SMOKED



SWISS OAK CASHMERE



AMADOR



OLD WOOD



OLD WOOD 1022

228 x 1500



SWISS OAK SMOKED 0847

178 x 1219 / 228 x 1500



AMADOR 0447

178 x 1219 / 228 x 1500



SWISS OAK CASHMERE 0795

178 x 1219 / 228 x 1500




Creation 55 Rigid Acoustic



OXFORD 0061 178 x 1219 |



RANCH 0456 178 x 1219 |



SWISS OAK PEARL 0846 178 x 1219 / 228 x 1500 |



WHITE LIME 0584 178 x 1219 |

DESIGN SHADE VARIATION Light Medium High



OXFORD



SWISS OAK PEARL



RANCH



WHITE LIME



SUAVE LIGHT



SUAVE LIGHT 0978

178 x 1219



MALUA BAY 0448

178 x 1219



MALUA BAY



SUCRE WHITE



SUCRE WHITE 0983

178 x 1219



Creation 55 Rigid Acoustic



DOCK GREY 0085
457 x 914



BLOOM UNI GREY 0869
457 x 914



RIVERSIDE 0436
457 x 914



CARMEL 0618
457 x 914



DESIGN SHADE VARIATION




Light



Medium



High



BLOOM UNI GREY



RIVERSIDE



CARMEL



DOCK GREY



BLOOM UNI TAUPE



DURANGO TAUPE



REGGIA IVORY

Creation 55 Rigid Acoustic



DURANGO TAUPE 0751
457 x 914



REGGIA IVORY 0861
457 x 914



BLOOM UNI TAUPE 0868
457 x 914



DESIGN SHADE VARIATION



Light




Medium



High

4D Design

Authentic tiles & planks



Ultra Matt Surface



Bevelled Edges



Crystal Wear Layer



High Definition Printed Film



Creation



Creation




Standard LVT




Lounge oak Golden

Exclusive embosses

Enhanced designs!



EIR - Charming Oak



EIR - Lounge Oak



Saw effect



Hammered



Brushed



Natural


More than a floor

Design skirting



Vinyl Code: 6086 + Color code / MDF Code: 5947 + Color code


Design coverstrip



Format: 45mm x 0.90m
More details on gerflor.ae

Entrance mat

Quickmat Tiles: Pre-adhesived planks (12mm thick)



Code: 1725, profiles 1726 and angles 1727 - adapted to 4 to 6mm thick products

Tool



Anti-bounce mallet: 5951


New surface treatment



Enhanced durability




Micro scratch resistance



Standard varnish

Creation



Ease of maintenance




Standard varnish

Creation

Ultra Matt finish



Gloss level (60° test)



Standard varnish

Creation 2019 / Creation 2022
Unchanged visual aspect

Creation 55 Rigid Acoustic		Rigid Acoustic	Skirting Matching Design	Coverstrip Matching Design	Emboss
Code	Color Design				
0447	Amador	228×1500 178×1219	S004	S004	Saw effect
0579	Amarante	178×1219	S005	S001	Brushed
1023	Baita Blond	228×1500	S081	0642C002	Brushed
0869	Bloom Uni Grey	457×914	S071	S071	Hammered
0868	Bloom Uni Taupe	457×914	S072	S001	Hammered
0871	Bostonian Oak	178×1219	S016	S016	Natural
0851	Bostonian Oak Honey	178×1219	S019	S019	Natural
0457	Buffalo	178×1219	S075	S001	Brushed
0618	Carmel	457×914	S020	S020	Hammered
0850	Cedar Brown	228×1500	S024	S024	Natural
1280	Charming Oak Brown	178×1219	S191	S001	EIR Charming Oak
1279	Charming Oak Grey	178×1219	S190	S001	EIR Charming Oak
0085	Dock Grey	457×914	S001	S001	Hammered
0751	Durango Taupe	457×914	S093	S001	Hammered
0455	Longboard	178×1219 228×1500	S034	S034	Brushed
1274	Lounge Oak Chestnut	228×1500	S192	S001	EIR Lounge Oak
1271	Lounge Oak Golden	228×1500	S189	S001	EIR Lounge Oak
0448	Malua Bay	178×1219	S035	S035	Brushed
0461	Michigan	178×1219	S038	S038	Brushed
0061	Oxford	178×1219	S043	S001	Brushed
1022	Oud Wood	228×1500	S001	S001	Natural
0456	Ranch	178×1219	S053	S053	Brushed
0861	Reggia Ivory	457×914	S054	S001	Hammered
0436	Riverside	457×914	S032	S032	Hammered
0445	Rustic Oak	178×1219	S062	S062	Natural
0978	Suave Light	178×1219	S001	S001	Brushed
0983	Sucre White	178×1219	S076	0642C012	Natural
0848	Swiss Oak Beige	178×1219 228×1500	S011	S011	Natural
0795	Swiss Oak Cashmere	178×1219 228×1500	S012	S001	Natural
0796	Swiss Oak Golden	178×1219 228×1500	S015	S015	Natural
0846	Swiss Oak Pearl	178×1219 228×1500	S014	S014	Natural
0847	Swiss Oak Smoked	178×1219 228×1500	S013	S001	Natural
0504	Twist	178×1219	S039	S039	Brushed
0584	White Lime	178×1219	S074	S074	Saw effect

S001 : **White**

S001 : **Aluminium**



BAITA BLOND

NATURAL



TWIST



SWISS OAK GOLDEN



REGGIA IVORY



ULTRAREALISM



LOUNGE OAK GOLDEN



CHARMING OAK GREY

Creation 55

Rigid Acoustic

Creation 55 Rigid Acoustic			
Description			
Total Thickness	EN ISO 24346	mm	6.00
Thickness of the wearlayer	EN ISO 24340	mm	0.55
Weight	EN ISO 23997	g/m²	9 480
Size	ISO 24342	mm	178 × 1219 / 8 / 1.51 m²
Number of planks or tiles per box / Sqm per box	-	-	228 × 1500 / 5 / 2.05 m² 457 × 914 / 4 / 2.50 m²
Classification			
Norm/Product Specification	-	-	EN ISO 10582
European Classification	EN ISO 10874	Class	33 - 42
Fire Rating	EN 13 501-1	Class	Bfl-s1
Static Electrical Propensity	EN 1815	kV	< 2
Slip Resistance Wet ⁽¹⁾	DIN 51130 / BGR 181	Class	R10
Performances			
Wear Resistance	EN 660.2	mm³	< 2.0
Wear Group	QB 30	Group	T
Type Binder content	ISO 10582	Group	I
Dimensional stability (norm)	EN ISO 23999	%	≤ 0.15
Dimensional stability (average measured value)	-	%	≤ 0.10
Residual Indentation	EN ISO 24343-1	mm	≤ 0.05
Impact sound insulation	EN ISO 717-2	dB	19
Room Impact	NF S 31074	dB	81
Castor chair test	ISO 4918	-	OK
Thermal Conductivity	EN ISO 10456	W/(m.K)	0.25
Colour Fastness	EN ISO 105 - B02	Degree	≥ 6
Surface Treatment	-	-	ProtecShield™
Chemical Products Resistance	EN ISO 26987	-	OK
Environment / Indoor Air Quality			
TVOC after 28 days	ISO 16000-6	µ /m³	< 10
Certification	-	-	Floorscore®
CE Marking			
CE	EN 14041	-	   

(1) Ramp test with oil.

IMPORTANT: The information contained in this document is valid from 03/01/2023 and is subject to change at any time without notice. In the context of constantly changing technology, our customers are responsible, prior to any use, for checking with us that this document is the version in force.

we care / we act

Our Commitments for a Sustainable future



CARBON FOOTPRINT*
-20 % kg CO₂ equivalent/m² between 2020 and 2025



BIOSOURCED CONTENT**
10 % by 2025



RECYCLED CONTENT
30 % by 2025



ADHESIVE FREE***
35 % by 2025



ANNUAL VOLUME RECYCLED
60 000 t by 2025

* Scopes 1 and 2 defined in the GHG protocol ** % of activity with biosourced materials *** % of activity - adhesive free solution

Contact Details

☎ +44 7775849260

🌐 www.maahglobal.com

✉ Chris@maahglobal.com

📷 [maahglobal](#)

