

TRUE LUXURY BLENDS BEAUTY,
COMFORT, AND SAFETY.

600x1200MM | 800x800MM
600x600MM | 600x900MM
600x600MM | 600x297MM
297x297MM



20MM THICKNESS




BEAUTY WITH BALANCE, ELEGANCE WITH SAFETY

One of the most important aspects of our R11 collection is its **20mm** thickness, which is specifically designed to meet the demands of outdoor spaces. Outdoor flooring is often exposed to constant pressure, heavy loads, and changing weather conditions, which can quickly damage ordinary tiles. With a 20mm thickness, our tiles are built to handle these challenges with ease. The additional thickness gives the tiles extra strength, allowing them to withstand not only regular foot traffic but also the weight of outdoor furniture, vehicles in certain areas, and continuous environmental stress. This structure also reduces the risk of cracks or breakage, ensuring stability and reliability over time.

AVAILABLE SIZE

SHAPING SPACES WITH ELEGANCE AND ENDURANCE.

Our collection is available in three versatile sizes. These options give flexibility in design and installation, whether you are working on a large terrace, a compact balcony, or a medium-sized patio. By offering multiple sizes, our collection allows architects, designers, and homeowners to create layouts that suit their unique space requirements.




600
X1200MM




600
X900MM




600
X297MM



800
X800MM



600
X600MM



297
X297MM

BLENDING SAFETY, DURABILITY, AND EVERLASTING ELEGANCE

The finishing of our R10 and R11 surface is what makes them stand out. The R10 matt finish offers a subtle, natural look with excellent underfoot comfort, while the R11 surface finish provides enhanced grip, reducing the risk of slipping even when the surface is wet or exposed to moisture. This makes them ideal for areas where safety cannot be compromised. At the same time, both finishes are designed to be easy to clean, combining safety, style, and convenience for outdoor living.



LUXURY TILES BUILT WITH
STRENGTH, STYLE, AND AFFORDABILITY

APPLICATION AREAS

Our collection is specially designed for outdoor applications where safety and durability matter the most. These tiles are a perfect fit for swimming pool decks, patios, balconies, terraces, garden walkways, and other open areas. Their anti-slip surface ensures a secure grip even in wet zones, while their durability allows them to handle constant outdoor use. With these qualities, the collection brings peace of mind along with functionality, making outdoor spaces safer and more dependable.



Residential



Bathroom & Wellness



Outdoor Stairs



Park & Gazebo



Hotels & Resorts



Swimming Pool



School & College



STEP INTO ELEGANCE WITH CONFIDENCE IN EVERY SURFACE.

TECHNICAL FEATURES



Non-slip
(R11) surface



Frost
resistant



Resistant to
breaking loads



DIY (Easy to Do It
Yourself at home)



Resists sudden
temperature changes



Light-resistant
colours



Resistant to
chemical products



Fire
resistant



Does not
absorb water



Easy
to clean



Moss and
mould resistant



Salt
resistant



Easy to inspect
and replace



Impact
resistance



Resistant
to abrasion



Resistant
to staining



Resistant
to blemishes



Resistant to
deep scratches



Easy
to install

ABBHEY PORCELAIN

THICKNESS 20MM 



ABB
BEY
PORCELAIN

- 

Tonal
Variation
- 

Anti Slip
- 

20mm
Thickness
- 

Eco
Friendly
- 

Abrasion
Resistance
- 

Zero
Maintenance
- 

Highly
Durable
- 

Exteriors




ABB
BEY
PORCELAIN

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM
 


14
FACES

R10 / R11 SURFACE


ALMOND BEIGE

THICKNESS 20MM 



ALMOND BEIGE

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



ALMOND BEIGE

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 08
FACES

R10 / R11 SURFACE

ANTIQUE WHITE

THICKNESS 20MM 



ANTIQUÉ WHITE

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



ANTIQUÉ WHITE

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 05
FACES

R10 / R11 SURFACE

ARABIAN

THICKNESS 20MM 



ARABIAN

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



ARABIAN

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 04
FACES

R10 / R11 SURFACE

AREZZO CHARCOAL

THICKNESS 20MM 



AREZZO CHARCOAL

- 

Tonal
Variation
- 

Anti Slip
- 

20mm
Thickness
- 

Eco
Friendly
- 

Abrasion
Resistance
- 

Zero
Maintenance
- 

Highly
Durable
- 


Exteriors



AREZZO CHARCOAL



AREZZO DARK GREY



AREZZO LIGHT GREY

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 04
FACES

R10 / R11 SURFACE

ARIA WHITE

THICKNESS 20MM 



ARIA WHITE

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



ARIA WHITE

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 04
FACES

R10 / R11 SURFACE


AUSTIN BIANCO

THICKNESS 20MM 




AUSTIN BIANCO

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



AUSTIN BIANCO



AUSTIN BLACK



AUSTIN GREY



AUSTIN IVORY

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 03
FACES

R10 / R11 SURFACE


BEAIGE TRAVERTINE

THICKNESS 20MM 



BEAIGE TRAVERTINE

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



BEAIGE TRAVERTINE

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 01
FACES

R10 / R11 SURFACE

BLANCHE BIANCO

THICKNESS 20MM 



BLANCHE BIANCO


- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



BLANCHE BEIGE



BLANCHE BIANCO



BLANCHE CHOKO

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 **03**
FACES

R10 / R11 SURFACE



BLUE STONE COIN

THICKNESS 20MM 



BLUE STONE COIN

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



BLUE STONE COIN



BLUE STONE GRIS

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 01
FACES

R10 / R11 SURFACE

BODO BEIGE

THICKNESS 20MM 



BODO BEIGE

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



BODO BEIGE



BODO GREY



BODO WHITE

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 11
FACES

R10 / R11 SURFACE

BOSTON CHOKO

THICKNESS 20MM 



BOSTON CHOKO

- 

Tonal
Variation
- 

Anti Slip
- 

20mm
Thickness
- 


Eco
Friendly
- 

Abrasion
Resistance
- 

Zero
Maintenance
- 

Highly
Durable
- 

Exteriors



BOSTON CHOKO

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 02
FACES

R10 / R11 SURFACE


BRAZILIAN GREY

THICKNESS 20MM 



BRAZILIAN GREY

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



BRAZILIAN BLACK



BRAZILIZN GREY

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 06
FACES

R10 / R11 SURFACE

CAJA SAND

THICKNESS 20MM 




CAJA SAND

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



CAJA PEARL



CAJA SAND

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 04
FACES

R10 / R11 SURFACE

CAMLIN BIANCO

THICKNESS 20MM 



CAMLIN BIANCO

- 

Tonal
Variation
- 

Anti Slip
- 

20mm
Thickness
- 

Eco
Friendly
- 

Abrasion
Resistance
- 

Zero
Maintenance
- 

Highly
Durable
- 

Exteriors



CAMLIN BIANCO

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 03
FACES

R10 / R11 SURFACE

CANYON SAND

THICKNESS 20MM 



CANYON SAND

- 

Tonal
Variation
- 

Anti Slip
- 

20mm
Thickness
- 

Eco
Friendly
- 

Abrasion
Resistance
- 

Zero
Maintenance
- 

Highly
Durable
- 

Exteriors



CANYON SAND

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 04
FACES

R10 / R11 SURFACE


CASPIAN WHITE

THICKNESS 20MM 



CASPIAN IRON

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



CASPIAN IRON



CASPIAN PEARL



CASPIAN WHITE

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 09
FACES

R10 / R11 SURFACE


CEMENTINO ASH

THICKNESS 20MM 



CEMENTINO ASH


- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



CEMENTINO ASH



CEMENTINO BEIGE



CEMENTINO GREY



CEMENTINO NERO

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 08
FACES

R10 / R11 SURFACE

CHEPO GREY

THICKNESS 20MM 



CHEPO GREY


- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



CHEPO BEIGE



CHEPO BIANCO



CHEPO GREY



CHEPO MILK



CHEPO BIANCO

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 08
FACES

R10 / R11 SURFACE


CLASSIC GREY

THICKNESS 20MM 



CLASSIC GREY


- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



CLASSIC GREY



CLASSIC IVORY



CLASSIC
ANTHRACITE

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 03
FACES

R10 / R11 SURFACE


CLOUD WHITE

THICKNESS 20MM 



CLOUD WHITE

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



CLOUD WHITE

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 **12**
FACES

R10 / R11 SURFACE


CONCRETE COTTO

THICKNESS 20MM 



CONCRETE COTTO

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



CONCRETE COTTO



CONCRETE MARRON



CONCRETE NATURAL

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 04
FACES

R10 / R11 SURFACE


COPPER RUST

THICKNESS 20MM 




COPPER RUST

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



COPPER RUST



COPPER SLATE

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 12
FACES

R10 / R11 SURFACE


CORE STONE BEIGE

THICKNESS 20MM 




CORE STONE BEIGE

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



CORE STONE BEIGE



CORE STONE NERO

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 06
FACES

R10 / R11 SURFACE

COUNTRY ANTHRACIT

THICKNESS 20MM 



COUNTRY ANTHRACIT

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



COUNTRY CREMA



COUNTRY LGY



COUNTRY ANTHRACIT



COUNTRY GRIS



COUNTRY STONE

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 07
FACES

R10 / R11 SURFACE



CROSSOVER GREY

THICKNESS 20MM 



CROSSOVER GREY

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



CROSSOVER GREY



CROSSOVER WHITE

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 08
FACES

R10 / R11 SURFACE


CUBICEL LIGHT GREY

THICKNESS 20MM 



CUBICEL LIGHT GREY

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



CUBICEL LIGHT GREY

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 04
FACES

R10 / R11 SURFACE

DAKOTA BEIGE

THICKNESS 20MM 



DAKOTA BEIGE

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



DAKOTA BEIGE



DAKOTA BEIGE DECOR

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 16
FACES

R10 / R11 SURFACE

DIJON LIMESTONE BEIGE

THICKNESS 20MM 



DIJON LIMESTONE BEIGE

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



DIJON LIMESTONE BEIGE

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 11
FACES

R10 / R11 SURFACE


DEAD SEA

THICKNESS 20MM 



DEAD SEA

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



DEAD SEA

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 **04**
FACES

R10 / R11 SURFACE

DISTRICT WOOD BROWN

THICKNESS 20MM 



DISTRICT WOOD BROWN

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



DISTRICT WOOD BROWN

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 04
FACES

R10 / R11 SURFACE

DUNE GREY

THICKNESS 20MM 



DUNE GREY

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



DUNE GREY



DUNE SAND



DUNE WHITE

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 10
FACES

R10 / R11 SURFACE

EARTH SILVER

THICKNESS 20MM 




EARTH SILVER

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors




EARTH BIANCO



EARTH COAL



EARTH SAND



EARTH SILVER



EARTH CORE GREY

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 08
FACES

R10 / R11 SURFACE


EARTHEN BEIGE

THICKNESS 20MM 



EARTHEN BEIGE

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



EARTHEN BEIGE



EARTHEN GREY

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 05
FACES

R10 / R11 SURFACE


EDEN GREY

THICKNESS 20MM 



EDEN GREY

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



EDEN LIGHT



EDEN GREY



EDEN LIGHT

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 03
FACES

R10 / R11 SURFACE

ELBRUS

THICKNESS 20MM 



ELBRUS

- 

Tonal
Variation
- 

Anti Slip
- 

20mm
Thickness
- 

Eco
Friendly
- 

Abrasion
Resistance
- 

Zero
Maintenance
- 

Highly
Durable
- 

Exteriors



ELBRUS

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 04
FACES

R10 / R11 SURFACE


EVEREST PEARL

THICKNESS 20MM 



EVEREST PEARL

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



EVEREST PEARL

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 12
FACES

R10 / R11 SURFACE


ENRICH GREY

THICKNESS 20MM 



ENRICH GREY

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



ENRICH GREY

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 05
FACES

R10 / R11 SURFACE

FOSSIL MINT

THICKNESS 20MM 



FOSSIL MINT

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



FOSSIL MINT



FOSSIL BLACK



FOSSIL GREY

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 **08**
FACES

R10 / R11 SURFACE

GENEVA

THICKNESS 20MM 



GENEVA

- 

Tonal
Variation
- 

Anti Slip
- 

20mm
Thickness
- 

Eco
Friendly
- 

Abrasion
Resistance
- 

Zero
Maintenance
- 

Highly
Durable
- 

Exteriors



GENEVA

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 01
FACES

R10 / R11 SURFACE

GETAFE BEIGE

THICKNESS 20MM 



GETAFE BEIGE

- 

Tonal
Variation
- 

Anti Slip
- 

20mm
Thickness
- 


Eco
Friendly
- 

Abrasion
Resistance
- 

Zero
Maintenance
- 

Highly
Durable
- 

Exteriors



GETAFE BEIGE

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 12
FACES

R10 / R11 SURFACE

GIRNAR ASH

THICKNESS 20MM 



GIRNAR ASH

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



GIRNAR ASH



GIRNAR BEIGE



GIRNAR GREY

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 **03**
FACES

R10 / R11 SURFACE

GLACIER BLANCO

THICKNESS 20MM 



GLACIER BLANCO

- 

Tonal
Variation
- 

Anti Slip
- 

20mm
Thickness
- 

Eco
Friendly
- 

Abrasion
Resistance
- 

Zero
Maintenance
- 

Highly
Durable
- 

Exteriors



GLACIER BLANCO

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 12
FACES

R10 / R11 SURFACE

GREY STONE

THICKNESS 20MM 



GREY STONE

- 

Tonal
Variation
- 

Anti Slip
- 

20mm
Thickness
- 


Eco
Friendly
- 

Abrasion
Resistance
- 

Zero
Maintenance
- 

Highly
Durable
- 

Exteriors



GREY STONE

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 **03**
FACES

R10 / R11 SURFACE

HAMMER STONE GREY

THICKNESS 20MM 



HAMMER STONE GREY

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



HAMMER STONE GREY



HAMMERSTONE BEIGE

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 03
FACES

R10 / R11 SURFACE

HAZAL STONE BEIGE

THICKNESS 20MM 




HAZAL STONE BEIGE


- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



HAZAL STONE BEIGE



HAZEL STONE ASH



HAZEL STONE CREMA

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 06
FACES

R10 / R11 SURFACE

HELMER BONE

THICKNESS 20MM 



HELMER BONE

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



HELMER BONE

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 04
FACES

R10 / R11 SURFACE

JAXON STEEL

THICKNESS 20MM 



JAXON STEEL

- 

Tonal
Variation
- 

Anti Slip
- 

20mm
Thickness
- 

Eco
Friendly
- 

Abrasion
Resistance
- 

Zero
Maintenance
- 

Highly
Durable
- 

Exteriors



JAXON STEEL

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 08
FACES

R10 / R11 SURFACE

JUPITER BEIGE

THICKNESS 20MM 



JUPITER BEIGE

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



JUPITER BEIGE

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 03
FACES

R10 / R11 SURFACE

KANDLA GREY

THICKNESS 20MM 



KANDLA GREY

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



KANDLA GREY

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 **32**
FACES

R10 / R11 SURFACE


KANDY BEIGE

THICKNESS 20MM 



KANDY BEIGE

- Tonal Variation
- Anti Slip
- 20mm Thickness
- Eco Friendly
- Abrasion Resistance
- Zero Maintenance
- Highly Durable
- Exteriors



KANDY BEIGE



KANDY BIANCO



KANDY GREEN



KANDY GREY

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM



03
FACES

R10 / R11 SURFACE

KRESTO WOOD LIGHT

THICKNESS 20MM 



KRESTO WOOD LIGHT

- 

Tonal
Variation
- 

Anti Slip
- 

20mm
Thickness
- 

Eco
Friendly
- 

Abrasion
Resistance
- 

Zero
Maintenance
- 

Highly
Durable
- 

Exteriors



KRESTO WOOD LIGHT

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 **04**
FACES

R10 / R11 SURFACE


LAGOS NATURAL

THICKNESS 20MM 



LAGOS NATURAL

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



LAGOS BEIGE



LAGOS BIANCO



LAGOS NATURAL

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 03
FACES

R10 / R11 SURFACE


LASAGNA TUSK

THICKNESS 20MM 



LASAGNA TUSK

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



LASAGNA TUSK

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 06
FACES

R10 / R11 SURFACE

LAVA STONE

THICKNESS 20MM 



LAVA STONE

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



LAVA STONE

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 **04**
FACES

R10 / R11 SURFACE

LI RIVER

THICKNESS 20MM 



LI RIVER

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



LI RIVER

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 02
FACES

R10 / R11 SURFACE


LIME STONE ASH

THICKNESS 20MM 



LIME STONE ASH

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



LIME STONE ASH



LIME STONE GREY



LIME STONE IVORY

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 12
FACES

R10 / R11 SURFACE

LIMESTONE

THICKNESS 20MM 



LIMESTONE

- 

Tonal
Variation
- 

Anti Slip
- 

20mm
Thickness
- 


Eco
Friendly
- 

Abrasion
Resistance
- 

Zero
Maintenance
- 

Highly
Durable
- 

Exteriors



LIMESTONE

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 02
FACES

R10 / R11 SURFACE

MARVEL GREY

THICKNESS 20MM 




MARVEL GREY


- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



MARVEL BIANCO



MARVEL GREY



ARABIAN

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 04
FACES

R10 / R11 SURFACE


MANHATTAN BEIGE

THICKNESS 20MM 



MANHATTAN BEIGE

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



MANHATTAN BEIGE

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 06
FACES

R10 / R11 SURFACE

MATIRA SNOW

THICKNESS 20MM 



MATIRA SNOW

- 

Tonal
Variation
- 

Anti Slip
- 

20mm
Thickness
- 

Eco
Friendly
- 

Abrasion
Resistance
- 

Zero
Maintenance
- 

Highly
Durable
- 

Exteriors



MATIRA SNOW

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 04
FACES

R10 / R11 SURFACE

MEDINA GRIS

THICKNESS 20MM 



MEDINA GRIS

- 

Tonal
Variation
- 

Anti Slip
- 

20mm
Thickness
- 


Eco
Friendly
- 

Abrasion
Resistance
- 

Zero
Maintenance
- 

Highly
Durable
- 

Exteriors



MEDINA BIANCO



MEDINA GRIS

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 03
FACES

R10 / R11 SURFACE

MERAKI BLANCO

THICKNESS 20MM 



MERAKI BLANCO

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



MERAKI BLANCO

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 10
FACES

R10 / R11 SURFACE

MIDLAKE BROWN

THICKNESS 20MM 



MIDLAKE BROWN

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



MIDLAKE BROWN

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 13
FACES

R10 / R11 SURFACE

MILANO BEIGE

THICKNESS 20MM 



MILANO BEIGE

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



MILANO BEIGE

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 05
FACES

R10 / R11 SURFACE

MOUNT KOYA

THICKNESS 20MM 



MOUNT KOYA

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



MOUNT KOYA

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 04
FACES

R10 / R11 SURFACE

MOUNTAIN BLACK

THICKNESS 20MM 



MOUNTAIN BLACK

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



MOUNTAIN BLACK



MOUNTAIN GREY



MOUNTAIN IVORY



MOUNTAIN CHOCOLATE



MOUNTAIN DARK GREY



MOUNTAIN WHITE

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 03
FACES

R10 / R11 SURFACE


NOOR CREMA

THICKNESS 20MM 




NOOR CREMA


- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



NOOR CREMA



NOOR GIRGIO



NOOR GREY

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 **03**
FACES

R10 / R11 SURFACE

NEXOS ANTHRACITE

THICKNESS 20MM 



NEXOS ANTHRACITE

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



NEXOS ANTHRACITE



NEXOS GREY

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 06
FACES

R10 / R11 SURFACE

OAK WOOD ASH

THICKNESS 20MM 



OAK WOOD ASH

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



OAK WOOD ASH



OAK WOOD BEIGE



OAK WOOD BROWN



OAK WOOD GREY

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 03
FACES

R10 / R11 SURFACE

PACIFIC NERO

THICKNESS 20MM 



PACIFIC NERO

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



PACIFIC BIANCO



PACIFIC GREY



PACIFIC NERO



PACIFIC CREMA

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 04
FACES

R10 / R11 SURFACE

PATCH WOOD NATURAL

THICKNESS 20MM 



PATCH WOOD NATURAL

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



PATCH WOOD NATURAL

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 02
FACES

R10 / R11 SURFACE

PAVE STONE GREY

THICKNESS 20MM 



PAVE STONE GREY

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



PAVE STONE GREY

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 12
FACES

R10 / R11 SURFACE

PECAN BEIGE

THICKNESS 20MM 



PECAN BEIGE

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



PECAN BEIGE

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 **04**
FACES

R10 / R11 SURFACE


PERLINO BEIGE

THICKNESS 20MM 



PERLINO BEIGE

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



PERLINO BEIGE

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 07
FACES

R10 / R11 SURFACE

PERTH BEIGE

THICKNESS 20MM 



PERTH BEIGE

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



PERTH BEIGE



PERTH CHOKO



PERTH BIANCO

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 03
FACES

R10 / R11 SURFACE


PETRA BEIGE

THICKNESS 20MM 



PETRA BEIGE

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



PETRA BEIGE

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 12
FACES

R10 / R11 SURFACE

PINE OLIVE

THICKNESS 20MM 



PINE OLIVE


- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



PINE ALMOND



PINE OLIVE



PINEWOOD NATURAL

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 04
FACES

R10 / R11 SURFACE


PLANO BIANCO

THICKNESS 20MM 



PLANO BIANCO

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



PLANO BIANCO

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 **04**
FACES

R10 / R11 SURFACE


PODERO CREMA

THICKNESS 20MM 



PODERO CREMA

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



PODERO CREMA

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 04
FACES

R10 / R11 SURFACE

POLAR BROWN

THICKNESS 20MM 



POLAR BROWN

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors




POLAR BIANCO



POLAR BROWN



POLAR CREMA



POLAR GREY



POLAR WHITE

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 **04**
FACES

R10 / R11 SURFACE

POLO BEIGE

THICKNESS 20MM 



POLO BEIGE

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



POLO BEIGE

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 **03**
FACES

R10 / R11 SURFACE


PORTO GREY

THICKNESS 20MM 



PORTO GREY

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



PORTO GREY

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 03
FACES

R10 / R11 SURFACE


POZZOLANA GREY

THICKNESS 20MM 



POZZOLANA GREY

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



POZZOLANA GREY



POZZOLANA MARRON

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 01
FACES

R10 / R11 SURFACE

QUARTZ WHITE

THICKNESS 20MM 




QUARTZ WHITE


- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



QUARTZ WHITE



QUARTZ DARK GREY



QUARTZ GREY

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 **04**
FACES

R10 / R11 SURFACE

RAJ GREEN

THICKNESS 20MM 



RAJ GREEN

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



RAJ GREEN

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 64
FACES

R10 / R11 SURFACE

RIO BLACK

THICKNESS 20MM 



RIO BLACK

- 

Tonal
Variation
- 

Anti Slip
- 

20mm
Thickness
- 


Eco
Friendly
- 

Abrasion
Resistance
- 

Zero
Maintenance
- 

Highly
Durable
- 

Exteriors



RIO BLACK

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 **04**
FACES

R10 / R11 SURFACE

RIVER GRAPHITE

THICKNESS 20MM 



RIVER GRAPHITE

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



RIVER BLUE



RIVER GRAPHITE



RIVER GREY

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 04
FACES

R10 / R11 SURFACE



ROCK GRIS

THICKNESS 20MM 




ROCK GRIS

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



ROCK BEIGE




ROCK CEMENTO



ROCK GRIS



ROCK NATURAL



ROCK GREY

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 02
FACES

R10 / R11 SURFACE


ROME BEIGE

THICKNESS 20MM 




ROME BEIGE


- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors




ROME BEIGE



ROME BIANCO



ROME DARK GREY



ROME LIGHT GREY

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 03
FACES

R10 / R11 SURFACE

ROUGH BRUNO

THICKNESS 20MM 



ROUGH BRUNO

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



ROUGH BRUNO



ROUGH RUNO

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 06
FACES

R10 / R11 SURFACE

ROVERWOOD ASH

THICKNESS 20MM 



ROVERWOOD ASH

- 

Tonal
Variation
- 

Anti Slip
- 

20mm
Thickness
- 

Eco
Friendly
- 

Abrasion
Resistance
- 

Zero
Maintenance
- 

Highly
Durable
- 

Exteriors



ROVERWOOD ASH



ROVERWOOD BEIGE



ROVERWOOD NATURAL

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 03
FACES

R10 / R11 SURFACE


SANDROCK BEIGE

THICKNESS 20MM 




SANDROCK BEIGE

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



SANDROCK BEIGE



SANDROCK SILVER

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 **04**
FACES

R10 / R11 SURFACE

SATVARIO DIAMOND GLOD

THICKNESS 20MM 



SATVARIO DIAMOND GLOD

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



SATVARIO DIAMOND GLOD

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 03
FACES

R10 / R11 SURFACE

SICILIA GREY

THICKNESS 20MM 



SICILIA GREY

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



SICILIA GREY

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 **03**
FACES

R10 / R11 SURFACE

SKY ROCK

THICKNESS 20MM 



SKY ROCK

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



SKY ROCK

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 06
FACES

R10 / R11 SURFACE

SLATE IMPERIO

THICKNESS 20MM 



SLATE IMPERIO

- 

Tonal
Variation
- 

Anti Slip
- 

20mm
Thickness
- 



Eco
Friendly
- 

Abrasion
Resistance
- 


Zero
Maintenance
- 

Highly
Durable
- 

Exteriors



SLATE IMPERIO



SLATE IMPERIO WHITE

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 **05**
FACES

R10 / R11 SURFACE

SMOKE STONE

THICKNESS 20MM 



SMOKE STONE

- 

Tonal
Variation
- 

Anti Slip
- 

20mm
Thickness
- 


Eco
Friendly
- 

Abrasion
Resistance
- 

Zero
Maintenance
- 

Highly
Durable
- 

Exteriors



SMOKE STONE

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 **04**
FACES

R10 / R11 SURFACE

COLUMBIA BIANCO

THICKNESS 20MM 



COLUMBIA BIANCO

- 

Tonal
Variation
- 

Anti Slip
- 

20mm
Thickness
- 


Eco
Friendly
- 

Abrasion
Resistance
- 

Zero
Maintenance
- 

Highly
Durable
- 

Exteriors



COLUMBIA BIANCO

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 12
FACES

R10 / R11 SURFACE

STATION BLACK

THICKNESS 20MM 



STATION BLACK

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



STATION BLACK



STATION IRON



STATION WHITE

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 **09**
FACES

R10 / R11 SURFACE


STROM BEIGE

THICKNESS 20MM 



STROM BEIGE


- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



STROM BEIGE



STROM BIANCO



STROM GREY WHITE

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 06
FACES

R10 / R11 SURFACE


SWISS DARK

THICKNESS 20MM 



SWISS DARK

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



SWISS DARK



SWISS LIGHT

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 **03**
FACES

R10 / R11 SURFACE

TIMBER WOOD

THICKNESS 20MM 



TIMBER WOOD

- 

Tonal
Variation
- 

Anti Slip
- 

20mm
Thickness
- 

Eco
Friendly
- 

Abrasion
Resistance
- 

Zero
Maintenance
- 

Highly
Durable
- 

Exteriors



TIMBER WOOD

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 04
FACES

R10 / R11 SURFACE

TRAVENTINE CROSS BEIGE

THICKNESS 20MM 



TRAVENTINE CROSS AVORIO

- Tonal
Variation
- Anti Slip
- 20mm
Thickness
- Eco
Friendly
- Abrasion
Resistance
- Zero
Maintenance
- Highly
Durable
- Exteriors



TRAVENTINE
CROSS AVORIO



TRAVENTINE
CROSS BEIGE

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM



08
FACES

R10 / R11 SURFACE

TRAVENTINO CREMA

THICKNESS 20MM 



TRAVENTINO CREMA

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



TRAVENTINO CREMA

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 **05**
FACES

R10 / R11 SURFACE

TRAVERTINE LIGHT

THICKNESS 20MM 



TRAVERTINE LIGHT

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



TRAVERTINE BLANCO



TRAVERTINE LIGHT



TRAVERTINE CHOCO



TRAVERTINE GREY



TRAVERTINE GREY LIGHT

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 06
FACES

R10 / R11 SURFACE

TUSLAN ANTHRACITE

THICKNESS 20MM 



TUSLAN ANTHRACITE

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



TUSLAN ANTHRACITE

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 **03**
FACES

R10 / R11 SURFACE

URBAN BIANCO

THICKNESS 20MM 



URBAN BIANCO

- 

Tonal
Variation
- 

Anti Slip
- 

20mm
Thickness
- 


Eco
Friendly
- 

Abrasion
Resistance
- 

Zero
Maintenance
- 

Highly
Durable
- 

Exteriors



URBAN BIANCO

- AVAILABLE SIZES :
- 600X1200MM
 - 600X900MM
 - 600X600MM
 - 800x800MM
 - 600x297MM
 - 297x297MM

THICKNESS 20MM 

 **03**
FACES

R10 / R11 SURFACE

VALLEY WHITE

THICKNESS 20MM 



VALLEY WHITE

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



VALLEY WHITE

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 06
FACES

R10 / R11 SURFACE


VENICE BIANCO

THICKNESS 20MM 



VENICE BIANCO

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



VENICE BIANCO



VENICE GREEN



VENICE GREY



VENICE BLUE

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 03
FACES

R10 / R11 SURFACE

VICTORIA

THICKNESS 20MM 



VICTORIA

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



VICTORIA

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 12
FACES

R10 / R11 SURFACE


VIENNA SILK

THICKNESS 20MM 



VIENNA SILK

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



VIENNA SILK

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 06
FACES

R10 / R11 SURFACE


VIRGO BIANCO

THICKNESS 20MM 



VIRGO BIANCO

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



VIRGO BIANCO



VIRGO SAND

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 **04**
FACES

R10 / R11 SURFACE

VOLGA SILK

THICKNESS 20MM 




VOLGA SILK

- 
Tonal
Variation
- 
Anti Slip
- 
20mm
Thickness
- 
Eco
Friendly
- 
Abrasion
Resistance
- 
Zero
Maintenance
- 
Highly
Durable
- 
Exteriors



VOLGA BIANCO



VOLGA SILK

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 06
FACES

R10 / R11 SURFACE

WHITE MARBLE STONE

THICKNESS 20MM 



WHITE MARBLE STONE

- 

Tonal
Variation
- 

Anti Slip
- 

20mm
Thickness
- 

Eco
Friendly
- 

Abrasion
Resistance
- 

Zero
Maintenance
- 

Highly
Durable
- 

Exteriors



WHITE MARBLE STONE

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 06
FACES

R10 / R11 SURFACE

ZION BROWN

THICKNESS 20MM 



ZION BROWN

- 

Tonal
Variation
- 

Anti Slip
- 

20mm
Thickness
- 


Eco
Friendly
- 

Abrasion
Resistance
- 

Zero
Maintenance
- 

Highly
Durable
- 

Exteriors



ZION BROWN

AVAILABLE SIZES :

- 600X1200MM
- 600X900MM
- 600X600MM
- 800x800MM
- 600x297MM
- 297x297MM

THICKNESS 20MM 

 **06**
FACES

R10 / R11 SURFACE

TECHNICAL SPECIFICATION

NOMINAL SIZE	: 60X90CM
THICKNESS	: 20.0MM
TYPE OF PRODUCT	: OUTDOOR TILE (HEAVY DUTY)
NATURE OF SURFACE	: COLOR BODY R11
REF.STANDARD	: INTERNATIONAL STANDARD ISO 13006:2015 GROUP B1a

TEST DESCRIPTION	STANDARD TEST METHOD	STANDARD REQUIREMENTS	SPOLO STANDARDS SPECIFICATION FOR PRODUCTION
LENGH	BS EN ISO 10545-2	±0.60%	±0.07% (±0.4MM)
WIDTH	BS EN ISO 10545-2	±0.60%	±0.07%(±0.6MM)
THICKNESS	BS EN ISO 10545-2	±5%	±4.0%(0.8MM)
STRAIGHTNESS OF SIDES	BS EN ISO 10545-2	±0.5%	±0.06%(±0.4MM)
RECTANGULARITY	BS EN ISO 10545-2	±0.5%	±0.12%
SURFACE FLATNESS :CENTARE CURVATURE	BS EN ISO 10545-2	±0.5%	±0.15%(+1.0MM) ±0.07%(-0.5 MM)
SURFACE FLATNESS :EDGE CURVATURE	BS EN ISO 10545-2	±0.5%	+0.17% (+1.0MM) +0.08%(+0.5MM)
SURFACE FLATNESS :WARPAGE	BS EN ISO 10545-2	±0.5%	-0.15%(1.0MM) -0.07%(-0.5 MM)
WATER ABSORPTION	BS EN ISO 10545-3	E ≤ 0.5%	E ≤ 0.1%
BREAKING STRENGTH	BS EN ISO 10545-4	≥ 1300 N	≥ 7000 N
MODULUS OF RUPTURE	BS EN ISO 10545-4	≥ 35 N/MM²	≥ 35 N/MM²
RESISTANCE OF SURFACE ABRASION	BS EN ISO 10545-7	MANUFACTURE TO STATE ABRASION CLASS	PEI CLASS -V
COEFFICIENT OF LINER THERMAL EXPANSION	BS EN ISO 10545-8	9 X 10 ⁻⁶ K ⁻¹ MAX	≤ 4 X 10 ⁻⁶ K ⁻¹ MAX
RESISTANCE THERMAL SHOCK	BS EN ISO 10545-9	MINI 10 CYCLES	10 CYCLES
CRAZING RESISTANCE	BS EN ISO 10545-11	MINI 4 CYCLES AT (750 ±20)Kpa BAR	4 CYCLES PASS
RESISTANCE TO HOUSE HOLD CHEMICALS & SWIMMING POOL SLATS	BS EN ISO 10545-13	MINIMUM CLASS GC	CLASS GA
RESISTANCE TO LOW CONCENTRATIONS ACIDS & ALKALIS	BS EN ISO 10545-13	MINIMUM CLASS GLC	CLASS GLA
RESISTANCE TO STAINS	BS EN ISO 10545-14	MINIMUM CLASS 3	CLASS 4

PACKAGING DETAILS

SIZE	SQ.MTR	Pcs/box	BOX WEIGHT	BOX	SQ.MTR	Pallet Packing style
600x600x20 mm	0.72	2	30	896	645.12	28 Pallets of 32 Box
600x900x20 mm	0.54	1	23	1200	648.00	30 Pallets of 40 Box
600x1200x20 mm	0.72	1	31	870	626.40	29 Pallet of 30 Box

Thank You!

Contact Details

☎ +44 7775849260

🌐 www.maahglobal.com

✉ Chris@maahglobal.com

📷 [maahglobal](#)

